

BMR Coyote Graze

BMR Coyote Graze dry stalk is rapid growing and the earliest BMR to mature at 40-60 days. This one grows quicker than other BMR hybrids in cool spring weather. It's grassy tillers, leaves and fine stem size contribute to the forage quality it produces. It has 3-5% lower moisture with the drystalk. It consistently wins reviews because it's early vigor, tonnage, nutritional quality, and regrowth characteristics.



YIELD POTENTIAL

5-7 Tons

HARVEST RECOMMENDATIONS

1st Cutting	40-60 days 40-60"
2nd Cutting	25-30 days 25-30"
3rd Cutting	25-30 days 25-30"

GRAINS PER DAY

Milk Per Day	 Increase of 10 Lbs. of milk per day
Beef Per Day	 Increase of .75 Lbs. of beef per day

AGRONOMIC TRAITS

Ideal Harvest Height	40-60"
Total Height	80-90"
Relative Maturity	Early
Days to Maturity	40-60 Days
Plant Type	Dry Stalk
Midrib Type	BMR-6
Standability	Good
Photoperiod Sensitive	No
Sugar Cane Aphid	No
Downy Mildew Resistant	Yes
Anthracoese Resistant	Yes
Double Cropping	Yes
Dryland/Irrigated	Both

SEEDING RATES

Seeding Method	Harvest Stage	Dryland Lbs./Acre	Rainfed/Irrigated Lbs./Acre	Dryland Seed/Acre	Rainfed/Irrigated Seed/Acre
Drilled	Boot Stage	20-25	25-35	330,000-412,500	412,500-577,500

SEE MANAGEMENT TIPS FOR PRUSSIC ACID AND NITRATE PAGE FERTILIZER RECOMMENDATIONS: 1-1.25 LB. N PER GROWING DAY/ACRE

SEED PER POUND: **16,500**

SEEDING DEPTH: **1"-1.5"**

SOIL TEMPERATURE: **62°F**

NUTRITIONAL QUALITY

